


# 5"

## Architectural LED Downlight

# EPD-5

## Edison Series



### Application

A complete family of downlights, accent lights, wallwashers, double wallwashers, and corner wallwashers in multiple beam spreads and apertures designed for commercial, civic, museums, corporate, hospitality, academic, retail, medical, and houses of worship.

### Features

- Exceptional Optical Quality: Up to 98 CRI, 1×2 Step MacAdam Ellipse.
- Shipped standard with a Solite Beam Smoother lens that removes striations from the light source.
- Available with a multitude of dimming protocols and control offerings.

<b>Lumens</b>	900, 1200, 1500, 2000, 3000
<b>CCT &amp; Dynamic Platforms</b>	22K, 27K, 30K, 35K, 40K, 50K Dims to Warm: 30K-18K, 30K-22K or 27K-18K Xicato Artist: 27K, 30K, 35K, 40K, 30K-VIB Natural Spectrum: 27K, 30K, 35K, 40K, 50K, 65K
<b>CRI</b>	90+ Standard, 98+ <sup>^2</sup>
<b>Color Quality</b>	2 Step MacAdam Ellipse
<b>Distributions</b>	NSPD (15°), SPD (24°), ND (30°), MD (36°), MWD (52°), WD (60°), VWD (70°)
<b>Trim Options</b>	Downlight, Wall Wash, Double Wall Wash, Corner Wall Wash, Wet Location
<b>Reflector Colors</b>	CL (Semi-Specular Chrome), SHZ (Low Iridescent Satin Haze), WT (Wheat), W (White), BK (Black), BZ (Bronze)
<b>Flange Colors</b>	TL (Trimless), WH (Self-Flanged White), SCH (Self-Flanged Semi-Specular Chrome), SHZ (Self-Flanged Low Iridescent Satin Haze), BK (Self-Flanged Black), BZ (Self-Flanged Bronze)
<b>Dimming</b>	DIM10, LUTH, LUT2W <sup>^3</sup> , LUTFTB <sup>^4</sup> , ELDO10.1, ELDODMX.1, ELDODALI.1, DIMTR <sup>^3</sup> , BLE-CASAMBI
<b>Emergency</b>	EMG-LED-10W, EMG-LED-20W, INTG-EMG-LED-10W, INTG-EMG-LED-20W, EMG-SDT-LED-10W
<b>Lifetime</b>	L70 at 102,000 Hours
<b>Photometric Tests</b>	In Accordance with IES LM79-08, LM80 and TM-30, TM-21



# 5"

## Architectural LED Downlight

# EPD-5

## Edison Series

PART NUMBER: **EPD-5-900L-22K-90-NSPD-DIM10-120V**

Series	Lumens	CCT	CRI	Optics	Drivers	Voltage	Emergency	Options
<b>EPD-5</b>	<b>900L</b>	<b>22K</b>	<b>90+</b>	<b>NSPD</b>	<b>DIM10</b>	<b>120V</b>	-	-
	<b>1200L</b>	<b>27K</b>	<b>98+ 2</b>	<b>SPD</b>	<b>LUTH</b>	<b>277V</b>	<b>EMG-LED-10W</b>	<b>CP 6</b>
	<b>1500L</b>	<b>30K</b>		<b>ND</b>	<b>LUT2W 3</b>	<b>MVOLT</b>	<b>EMG-LED-20W</b>	<b>USA</b>
	<b>2000L</b>	<b>35K</b>		<b>MD</b>	<b>LUTFTB 4</b>	<b>347V 5</b>	<b>INTG-EMG-LED-10W</b>	
	<b>3000L</b>	<b>40K</b>		<b>MWD</b>	<b>ELDO10.1</b>		<b>INTG-EMG-LED-20W</b>	
	<b>50K 1</b>		<b>WD</b>	<b>ELDODMX.1</b>		<b>EMG-SDT-LED-10W</b>		
			<b>VWD</b>	<b>ELDODALI.1</b>				
				<b>DIMTR 3</b>				
				<b>BLE-CASAMBI</b>				

1 50K series are available with 85+ CRI only 2 98+ CRI is available in 27K, 30K and 40K only 3 DIMTR and LUT2W available in 120V only 4 LUTFTB Available for luminaires up to 1500L 5 347V is available in only DIM10 6 CP Available for luminaires up to 1500L

PART NUMBER: **EPD-5-WDM-30K-18K-900L-90-NSPD-DIM10-120V**

Series	Technology	Lumens	CRI	Optics	Drivers	Voltage	Emergency	Options
<b>EPD-5</b> <i>(Dim to Warm)</i>	<b>WDM-30K-18K</b>	<b>900L</b>	<b>90+</b>	<b>NSPD</b>	<b>DIM10</b>	<b>120V</b>	-	-
	<b>WDM-30K-22K</b>	<b>1200L</b>		<b>SPD</b>	<b>LUTH</b>	<b>277V</b>	<b>EMG-LED-10W</b>	<b>CP 3</b>
	<b>WDM-27K-18K</b>	<b>1500L</b>		<b>ND</b>	<b>LUT2W 1</b>	<b>MVOLT</b>	<b>EMG-LED-20W</b>	<b>USA</b>
		<b>2000L</b>		<b>MD</b>	<b>LUTFTB 2</b>		<b>INTG-EMG-LED-10W</b>	
				<b>MWD</b>	<b>DIMTR 1</b>		<b>INTG-EMG-LED-20W</b>	
			<b>WD</b>	<b>ELDO10.1</b>		<b>EMG-SDT-LED-10W</b>		
			<b>VWD</b>	<b>ELDODALI.1</b>				
				<b>ELDODMX.1</b>				
				<b>BLE-CASAMBI</b>				

1 DIMTR and LUT2W available in 120V only 2 LUTFTB Available for luminaires up to 1500L 3 CP Available for luminaires up to 1500L

PART NUMBER: **EPD-5-XIA-900L-27K-98-NSPD-DIM10-120V**

Series	Technology	Lumens	CCT	CRI	Optics	Drivers	Voltage	Emergency	Options
<b>EPD-5</b> <i>(Xicato Artist)</i>	<b>XIA</b>	<b>900L</b>	<b>27K</b>	<b>98+</b>	<b>NSPD</b>	<b>DIM10</b>	<b>120V</b>	-	-
		<b>1200L</b>	<b>30K</b>		<b>SPD</b>	<b>LUTH</b>	<b>277V</b>	<b>EMG-LED-10W</b>	<b>CP 4</b>
		<b>1500L</b>	<b>30K-VIB</b>		<b>ND</b>	<b>LUT2W 1</b>	<b>MVOLT</b>	<b>EMG-LED-20W</b>	<b>USA</b>
			<b>35K</b>		<b>MD</b>	<b>LUTFTB 2</b>	<b>347V 3</b>	<b>INTG-EMG-LED-10W</b>	
		<b>40K</b>		<b>MWD</b>	<b>ELDO10.1</b>		<b>INTG-EMG-LED-20W</b>		
			<b>WD</b>	<b>ELDODMX.1</b>		<b>EMG-SDT-LED-10W</b>			
			<b>VWD</b>	<b>ELDODALI.1</b>					
				<b>DIMTR 1</b>					
				<b>BLE-CASAMBI</b>					

1 DIMTR and LUT2W available in 120V only 2 LUTFTB Available for luminaires up to 1500L 3 347V is available in only DIM10 4 CP Available for luminaires up to 1500L

# 5"

## Architectural LED Downlight

# EPD-5



## Edison Series

PART NUMBER: **EPD-5-NSL-900L-27K-97-NSPD-DIM10-120V**

Series	Technology	Lumens	CCT	CRI	Optics	Drivers	Voltage	Emergency	Options
<b>EPD-5</b> <i>(Natural Spectrum)</i>	<b>NSL</b>	<b>900L</b>	<b>27K</b>	<b>97+</b>	<b>NSPD</b>	<b>DIM10</b>	<b>120V</b>	-	-
		<b>1200L</b>	<b>30K</b>		<b>SPD</b>	<b>LUTH</b>	<b>277V</b>	<b>EMG-LED-10W</b>	<b>CP 4</b>
		<b>1500L</b>	<b>35K</b>		<b>ND</b>	<b>LUT2W 1</b>	<b>MVOLT</b>	<b>EMG-LED-20W</b>	<b>USA</b>
		<b>2000L</b>	<b>40K</b>		<b>MD</b>	<b>LUTFTB 2</b>	<b>347V 3</b>	<b>INTG-EMG-LED-10W</b>	
			<b>50K</b>		<b>MWD</b>	<b>ELDO10.1</b>		<b>INTG-EMG-LED-20W</b>	
	<b>65K</b>	<b>WD</b>	<b>ELDODMX.1</b>		<b>EMG-SDT-LED-10W</b>				
			<b>VWD</b>		<b>ELDODALI.1</b>				
					<b>DIMTR 1</b>				
					<b>BLE-CASAMBI</b>				

**1** DIMTR and LUT2W available in 120V only   **2** LUTFTB Available for luminaires up to 1500L   **3** 347V is available in only DIM10   **4** CP Available for luminaires up to 1500L

### ORDER GUIDE

REFLECTOR TYPE				MOUNTING	COLOR			
REFLECTOR TYPE				MOUNTING	COLOR			
Open Downlight EPD-5-501	Wall Wash EPD-5-507	Double Wall Wash EPD-5-577	Corner Wall Wash ?	Flanged 	ANODIZED FLANGED			
					Clear White CL-WH	Satin Haze White SHZ-WH	Black BK-BK	
					Clear Semi-Spec CL-SCH	White WH-WH	Satin Haze SHZ-SHZ	
					Clear Black CL-BK	Black White BK-WH	Wheat White WT-WH	
				Trimless 	ANODIZED TRIMLESS			
Open Downlight EPD-5-TL-501	Wall Wash EPD-5-TL-507				White WH	Black BK	Clear CL	Satin Haze SHZ



WWW.EPL.COM | 718.685.0700 | NEW YORK / LOS ANGELES



