


6"

Architectural LED Downlight - Adjustable/Wall Wash

EPD-6ADJ-RGBW

Edison Series



Application

A complete family of downlights, accent lights, wallwashers, double wallwashers, and corner wallwashers in multiple beam spreads and apertures designed for commercial, civic, museums, corporate, hospitality, academic, retail, medical, and houses of worship.

Features

- Exceptional Optical Quality: Up to 98 CRI, 1×2 Step MacAdam Ellipse.
- Shipped standard with a Solite Beam Smoother lens that removes striations from the light source.
- Available with a multitude of dimming protocols and control offerings.

Lumens	1100, 2000
CCT & Dynamic Platforms	Tunable White: 50K-27K or 65K-27K RGB+W: 65K-18K
CRI	90+ Standard
Color Quality	2 Step MacAdam Ellipse
Distributions	NSPD (15°), SPD (24°), ND (30°), MD (36°), MWD (52°), WD (60°), VWD (70°)
Trim Options	Adjustable
Reflector Colors	CL (Semi-Specular Chrome), SHZ (Low Iridescent Satin Haze), WT (Wheat), W (White), MB (Black), BZ (Bronze)
Flange Colors	Self-Flanged WH (White), SCH (Semi-Specular Chrome), SHZ (Low Iridescent Satin Haze), BK (Black), BZ (Bronze)
Dimming	ELDODMX.1
Emergency	PELI-S-20, PELI-S-100, PELI-S-250, PELI-S-400
Lifetime	L70 at 102,000 Hours
Photometric Tests	In Accordance with IES LM79-08, LM80 and TM-30, TM-21



WWW.EPL.COM | 718.685.0700 | NEW YORK / LOS ANGELES

Last Update: Sep 15, 2022 - 10:20:16 ©Ali

6"

EPD-6ADJ-RGBW

Edison Series

Architectural LED Downlight - Adjustable/Wall Wash

PART NUMBER: **EPD-6ADJ-TWH-50K-27K-900L-90-NSPD-DIM10-MVOLT**





Series	Technology	Lumens	CRI	Optics	Drivers	Voltage	Emergency	Options	Accessories
EPD-6ADJ <small>(Tunable White)</small>	TWH-50K-27K	900L	90+	NSPD	DIM10 1	MVOLT	-	-	-
	TWH-65K-27K	1200L		SPD	ELDODALI.1		EMG-LED-10W	USA	EC-WC-TWH-HW-MVOLT
		1500L		ND	ELDODMX.1		EMG-LED-20W		
		2000L		MD	LUT-PSQ02U 2		INTG-EMG-LED-10W		
		3000L		MWD	BLE-CASAMBI		INTG-EMG-LED-20W		
		4000L		WD			EMG-SDT-LED-10W		
				VWD					

1 For DIM10 driver you must dedicate two control inputs, one for the Dimming Control and another for CCT Tuning **2** Lutron is the T-Series 2-Channel Tunable White EcoSystem

PART NUMBER: **EPD-6ADJ-RGBW-LENGN-65K-18K-1100L-90-NSPD-ELDODMX.1-120V**

Series	Technology	Lumens	CRI	Optics	Drivers	Voltage	Emergency	Options
EPD-6ADJ <small>(RGB + White)</small>	RGBW-LENGN-65K-18K	1100L	90+	NSPD	ELDODMX.1	120V	-	-
		2000L		SPD		277V	PELI-S-20	USA
				ND			PELI-S-100	
				MD			PELI-S-250	
				MWD			PELI-S-400	
				WD				
				VWD				

ORDER GUIDE

REFLECTOR TYPE	MOUNTING	COLOR			
Accent Adjustable EPD-6ADJ-655 	Flanged 	ANODIZED FLANGED			
		Clear White CL-WH	Satin Haze White SHZ-WH	Black BK-BK	
		Clear Semi-Spec CL-SCH	White W-WH	Satin Haze SHZ-SHZ	
		Bronze BZ-BZ	Black White BK-WH		
		ANODIZED TRIMLESS			
		White WH	Black BK	Clear CL	Satin Haze SHZ
Accent Adjustable EPD-6ADJ-TL-663 	Trimless 				
		White WH	Black BK	Clear CL	Satin Haze SHZ

