


The neon track is available in suspended and surface-mounted versions--both able to rotate horizontally. The system includes the option of different linear modules such as diffusers, prismatics, spotlights, downlights, and neon strips. These modules can be freely combined for various applications, and the track and neon strip modules can be creatively matched to achieve a variety of rich stylings. The track system is 48VDC powered, 30mm in diameter, small and **exquisite.**

FREEHAND Neon + Track

CURSIVE regular stroke medium light italics heavy comma exclamation 12PT 14PT 18PT 24PT strikethrough

TRACK | ELECTRICAL TRACK | LINEAR TRACK | SPOT TRACK | CYLINDER NEON | ELECTRICAL NEON | FORM NEON | ACCESSORIES





OPTICS



FINISHES



CCT

3000K 4000K

DIMMING

Non-dimming (On/Off)

CERTIFICATIONS









FREEHAND | 2023 LIA LIGHTFAIR INNOVATION AWARDS


If you can write it...




Compose an installation that sends a message

FREEHAND






Cross your t's with bold track pieces and dot your i's with neon playfulness

















LIGHTFAIR INNOVATION AWARDS

Expand your vocabulary with a **flexible** range of choices.

Flexible Meon









MECHANICAL CONNECTIONS

SUSPENSION CONNECTIONS

Rigid stem mounting for caps locked security Or aircraft cable for finepoint versatility




TRACK PENDANT STEM




NEON PENDANT STEM




TRACK PENDANT CABLE



NEON PENDANT CABLE




Skillfully join two clauses with continuous row mounting






EDISON PRICE LIGHTING

ROTATION



Make edits after installation with in-field adjustability



MAGNETIC CONNECTION

FREEHAND integrates redundancy in every connection to ensure your message is not lost in translation reliable magnetic connection prevention of polarity when EDISON PRICE LIGHTING

EDISON PRICE LIGHTING

ROTATION


±120°




Revise your point-of-view with 120° horizontal pivoting




FREEHAND











FREEHAND | 2023 LIA LIGHTFAIR INNOVATION AWARDS

Write to make an impression. Make the impression last.



LM90 at 50,000 hours







A picture is worth a thousand words.

Color and vivid details that speak for themselves.


CRI 90 is Standard




The closer the red dot to the triangle vertex, the higher the quality of color.



The closer the number of R1-R16 to 100, the better the color rendition.




The data points marked as black dots follow the circle closely, indicating better color rendering.











FREEHAND | 2023 LIA LIGHTFAIR INNOVATION AWARDS

If you can write it, you can light it.

FREEHAND



